

## APPENDIX 4

# Selected Noncommunicable Disease Indicators

Country group and country	Annual NCD deaths, 2002* (thousands)	NCD deaths as a percentage of all deaths, 2002*	NCD DALYs as a percentage of all DALYs, 2002*	Age-standardized NCD death rates per 100,000 population, 2002*	Share of excess deaths attributable to NCDs (%) 2002**	Diabetes prevalence, adults aged 20–79, 2003 (%)	Probability of dying between the ages of 15 and 60, all causes 2004 (per 1,000 population)	
							Males	Females
<b>East Asia and the Pacific</b>								
Cambodia	54.5	34.0	30.8	852.5	23.9	2.0	430	276
China	7,051.1	77.2	66.4	665.0	67.1	2.7	158	99
Fiji	3.9	73.0	66.5	825.2	69.4	8.3	270	169
Indonesia	985.6	60.6	56.0	727.0	44.8	1.9	239	200
Kiribati	0.4	64.2	64.3	773.3	53.6	6.2	297	175
Korea, Rep. of	227.1	82.6	76.1	537.0	79.5	6.4	151	55
Lao PDR	24.1	35.7	27.9	904.0	24.1	1.1	331	300
Malaysia	84.7	71.0	69.6	625.3	56.9	9.4	200	109
Marshall Islands	0.3	70.2	65.2	997.5	65.3	8.6	327	275
Mongolia	12.9	66.1	57.0	967.7	59.7	1.4	303	185
Palau	0.1	73.3	68.1	744.3	67.2	8.7	224	206
Papua New Guinea	18.0	38.4	36.0	814.9	25.5	1.9	322	265

(Continued)