

References

- Abbey, D. et al (1995). Long-Term Ambient Concentrations of Particulates and Oxidants and Development of Chronic Disease in a Cohort of Nonsmoking California Residents. *Inhalation Toxicology*, Vol 7: 19-34.
- Agha F., Sadaruddin A., Khatoon N. (2005). Effect of Environmental Lead Pollution on Blood Lead Levels in Traffic Police Constables in Islamabad, Pakistan. *Journal of Pakistan Medical association*. Vol. 55 (10): 410-13.
- Agricultural Statistics of Pakistan. Economic Wing, Ministry of Food, Agriculture and Livestock, (2003-2004). Government of Pakistan, Islamabad
- Ahmed and Rashid (2003) Fertilizers and their Use in Pakistan; NFDC/P&DD/GoP;
- Brandon C. (1995). Valuing Environmental Costs in Pakistan: The economy-wide impact of Environmental degradation
- Cohen A. et al (2004). Urban Air Pollution. In "Comparative quantification of health risks" ed. by Ezzati et al. WHO. Geneva
- Cropper, M. and Oates, W. (1992). Environmental Economics: A Survey. *Journal of Economic Literature*. Vol. XXX, pp. 675-740.
- Cullu M.A. (2002). Estimation of the Effect of Soil Salinity on Crop Yield Using Remote Sensing and Geographic Information System, *Turk J Agric For* 27 (2003) 23-28, <http://journals.tubitak.gov.tr/agriculture/issues/tar-03-27-1/tar-27-1-4-0209-13.pdf>
- Desai, M., Mehta, S., Smith, K. (2004). Indoor smoke from solid fuels. Assessing the environmental burden of disease at national and local levels. *Environmental Burden of Disease Series*, No. 4. WHO.
- Dockery D.W., Pope C.A. III, Xu X, et al (1993). An association between air pollution and mortality in six US cities. *New England Journal of Medicine*, 329: 1753-1759.
- Dost M. (2000) Fodder Production for Peri-urban Dairies in Pakistan. <http://www.fao.org/ag/agp/agpc/doc/pasture/dost/fodderdost.htm>
- Dost M. (2002). Country Pasture/Forage Resource Profiles. Pakistan <http://www.fao.org/WAICENT/FAOINFO/AGRICULT/AGP/AGPC/doc/Counprof/Pakistan/Pakistan.htm>
- Esrey, Potash, Roberts, and Shiff (1991). Effects of improved water supply and sanitation on ascariasis, diarrhoea, dracunculiasis, hookworm infection, schistosomiasis, and trachoma. *Bulletin of the World Health Organization*, 69(5):609-621.
- Esrey, S.A., and Habicht, J-P. (1988). Maternal literacy modifies the effect of toilets and piped water on infant survival in Malaysia. *American Journal of Epidemiology*, 127(5): 1079-1087.
- FAO (1998). FAO Irrigation and Drainage Paper 56. Prepared by Allen, R. et al.
- FAO (2005) Global Forest Assessment Report. Pakistan. Country report.
- Fewtrell F., Prüss A, Kaufmann R. (2003). Guide for assessment of EBD at national and local level: Lead. WHO, Geneva.
- Fewtrell, L. and J. Colford Jr. (2004). Water, Sanitation and Hygiene: Interventions and Diarrhoea – A systematic review and meta-analysis. HNP Discussion Paper. World Bank.
- Gratten, Zeng, Shannon, Roberts (2002). Rice is more sensitive to salinity than previously thought. *California Agriculture*, Vol. 56, Number 56. November/December.

- Hozhabri, S., White F., Rahbar MH, Agboatwalla M., Luby S. (2004). Elevated Blood Lead Levels Among Children Living In A Fishing Community, Karachi, Pakistan. *Archives of Environmental Health*, January
- Khan H. (2004) Demand for Eco-Tourism. Estimating Recreational Benefits from the Margalla Hills National Park in Northern Pakistan. SANDEE. Working Paper # 5-04.
- Khwaja Mh. (2003). Environmental Health: Lead Exposure and Its Impact on Children. *SDPI Research and News. Bulletin. Vol 2 (2): 1-3, 7.*
- Kotuby-Amacher, J. et al (1997). Salinity and Plant Tolerance. Utah Sate University. United States.
- Lampietti, J., Dixon J. (1994). To See the Forest for the Trees: A Guide to Non-Timber Forest Benefits. World Bank. Washington DC.
- Larsen, B. (2003). Hygiene and Health in Developing Countries: Defining Priorities through Cost-Benefit Assessments. *International Journal of Environmental Health Research. Vol 13: S37-S46.*
- Larsen, B. (2004a). Cost of Environmental Degradation: A Socio-Economic and Environmental Health Assessment in Damietta, Egypt. Prepared for SEAM II, Cairo, Egypt.
- Larsen, B. (2004b) Columbia. Cost Of Environmental Damage: A Socio-Economic and Environmental Health Risk Assessment. Final Report. Prepared for the Ministry of Environment, Housing and Land Development of Republic of Colombia.
- Louisiana Department of Public Health. (2004). Typhoid Fever. www.opd.dhh.state.la.us/infectiousdisease/docs/disease_updates_04/TyphoidManual.pdf
- Luby S., Agboatwalla M., Razz A., Sobel J. (2001) A Low-Cost Intervention for Cleaner Drinking Water in Karachi, Pakistan. *Pakistan International Journal of Infectious Diseases. 5(3): 144-150.*
- Ma Q. (1999) Asia-Pacific Forestry Sector Outlook Study: Volume I - Socio-Economic, Resources and Non-Wood Products . Working Paper No: APFSOS/WP/43 .Forestry Policy and Planning Division, Rome. Regional Office for Asia and the Pacific, Bangkok
http://www.fao.org/documents/show_cdr.asp?url_file=/docrep/x2613e/x2613e00.HTM
- Mackintosh J.B. (1993). Shhep Production in Pakistan. Pakistan Research Council, Islamabad
- Mirza S., Thomson E., Akhbar G, Sattar Alvi A.,and Rafique S. Balochistan. Searching for a strategy. <http://www.icarda.org/Publications/Caravan/Caravan4/Car411.Html>
- Mohammad Noor. (1989). Rangeland Management in Pakistan. Published by the International Centre for Integrated Mountain Development (ICIMOD) Kathmandu, Nepal.
- Mrozek, J. and Taylor, L. (2002). What Determines the Value of Life? A Meta Analysis. *Journal of Policy Analysis and Management. Vol 21 (2): 253-270.*
- National Commission on Agriculture. (1988). Report of the National Commission on Agriculture, Ministry of Food and Agriculture, Government of Pakistan, Islamabad
- National Forest and Rangeland Resource Assessment Study (NFRRAS) (2004) Pakistan Forest Institute. Peshawar.
- Niederman, M. et al. (1999). Treatment Cost of Acute Exacerbations of Chronic Bronchitis. *Clinical Therapy, 21(3): 576-91.*
- Ostro, B. (1994). Estimating the Health Effects of Air Pollution: A Method with an Application to Jakarta. Policy Research Working Paper, World Bank.
- Othman, J.(2002) Household Preferences for Solid Waste Management in Malaysia; Economy and Environment Program for Southeast Asia(EEPSEA) Research Report No. 2002-RR8, International Development Research Centre.

- Pakistan Economic Survey (2004-2005), Economic Advisors Wing, Ministry of Finance, Government of Pakistan
- Pakistan Statistical Yearbook 2004.
- Paul R., White F., Luby S. (2003). Trends in Lead Content of Petrol in Pakistan. *Bulletin Of World Health Organization*. 81 (6): 468.
- Pearce, D., Putz F., Vanclay J. (1999). *A Sustainable Forest Future? CSERGE Working Paper GEC 99-15*. London.
- PIES (2001-02). *Pakistan Integrated Economic Survey 2001-02*.
- Pope CA III, Burnett RT, Thun MJ, et al (2002). Lung cancer, Cardiopulmonary mortality, and Long-term exposure to Fine particulate air pollution. *Journal of the American Medical Association*, 287: 1132-1141.
- Pope CA III, Thun MJ, Nambudiri MM, et al (1995). Particulate air pollution as a predictor of mortality in a prospective study of US adults. *American Journal of Respiratory and Critical Care Medicine*, 151: 669-674.
- Pruss-Ustin , A., Fewtrell F., Landrigan P. (2004). Lead Exposure. In "Comparative quantification of health risks" ed. by Ezzati et al. WHO. Geneva
- Rahman A., Maqbool E., Zuberi H. (2002). Lead Associated Deficits in Stature, Mental Ability and Behavior in Children in Karachi. *Annals of Tropical Pediatrics*, 22: 301-311.
- Rosemann, N. (2003) *Drinking Water Crisis in Pakistan and the Issue of Bottled Water: The case of Nestle's 'Pure Life'*. *Drinking Water Crisis in Pakistan and the Issue of Bottled Water: The case of Nestle's 'Pure Life'*, http://www.swisscoalition.ch/english/files/T_WrNn.pdf
- Rutstein, S.O. (2000). Factors Associated with Trends in Infant and Child Mortality in Developing Countries during the 1990s. *Bulletin of the World Health Organization*. Vol. 78(10): 1256-1270.
- Salkever DS. (1995). Updated estimates of earnings benefits from reduced exposure of children to environmental lead. *Environmental Research*. 70: 1-6
- Schulman, Ronca and Bucuvalas, Inc. (2001). *Confronting COPD in North America and Europe: A Survey of Patients and Doctors in Eight Countries*.
- Schwartz J. (1994). Societal benefits of reducing lead exposure. *Environmental Research* 66:105-12
- Shi, A. (1999). The Impact of Access to Urban Potable Water and Sewerage Connection on Child Mortality: City Level Evidence, 1993. *Economists' Forum*, Vol. 1, World Bank 1999.
- Shibuya, K., Mathers, C., and Lopez, A. (2001). Chronic Obstructive Pulmonary Disease (COPD): Consistent Estimates of Incidence, Prevalence, and Mortality by WHO Region. *Global Programme on Evidence for Health Policy*. World Health Organization. November 2001.
- Sinha A. et al. (1999). Typhoid Fever in Children Aged Less than Five Years. *Lancet*. 354:734-37.
- Strukova, E. (2004). Opportunity Cost Of Deforestation In The Brazilian Amazon: Aggregated Estimate Per Ton Of Avoided Carbon Emission. Working Paper. Washington DC
- SUPARCO (2004). *Materials on Ambient Air Quality in Major Cities of Pakistan*.
- TERI (2001). *Review of Past and On-Going Work on Urban Air Quality in India*. New Delhi. Tata Energy Research Institute. TERI Project Report N 2001 EE41.
- Viscusi, W.K. and Aldi, J.E. (2002). The Value of a Statistical Life: A critical review of market estimates throughout the world. Discussion Paper No. 392. Harvard Law School. Cambridge, MA. United States.
- White F., et al (2001). Elevated Blood Lead Levels in Karachi Children. *Bulletin World health Organization*, 79(2): 173.

WHO (2001). Global Burden of Disease 2001. The World Health Organization.
WHO (2002a). Global Burden of Disease 2002. The World Health Organization.
WHO (2002b). The World Health Report 2002. The World Health Organization.
World Bank (2002a). Egypt Cost Assessment of Environmental Degradation. Report No. 25175-EGT.
Washington DC.
World Bank (2004b). World Development Indicators 2004. Washington DC.
PDS 2003
PIHS 2001/2002
Pakistan 2004 Statistical Yearbook
MICS. (1995) UNICEF. <http://www.childinfo.org/eddb/Diarrhoea/database.htm>
Pakistan Census 1998